

imageCLASS  
MF641cw | MF643cdw

**Canon**  
Delighting You Always

# INTUITIVE TECHNOLOGY WITH **SEAMLESS FUNCTIONALITY**



**Business Can Be Simple**



MF641Cw

## SEAMLESS CONNECTIVITY AND SIMPLE NAVIGATION

Engineered to make multi-tasking effortless through a system of leading-edge functionality, Canon imageCLASS MF641Cw and MF643Cdw enhance print performance with seamless connectivity and simple navigation. With V<sup>2</sup> Colour Technology, colour print quality is stunningly and effortlessly processed.

## COLOURFUL PERFORMANCE

### V<sup>2</sup> COLOUR

#### VIVID & VIBRANT PRINTOUTS

V<sup>2</sup> Colour Technology delivers true quality prints that commands attention and leaves an impactful impression during business presentations. Anticipate incredible and striking visuals with an expanded colour palette on every print.

## PROFESSIONAL EFFICIENCY



Touch Panel

#### EASE AT EVERY TOUCH

The imageCLASS series' vari-angle 5-inch touchscreen LCD display allows greater viewing flexibility with a touch, and makes navigation simple, convenient and intuitive.



#### WIRELESS AND MOBILE CONNECTIVITY

Print on the go using your mobile device for fast data transfers, through a selection of apps such as Canon PRINT Business, Apple® AirPrint®, Google Cloud Print™, Mopria® and Canon Print Service.



#### DEPARTMENT ID

Based on user profiles, easily manage and control access to functions like Scan, Copy and Colour Printing.



#### HIGH PRINT YIELDS

With print yields of 3,100 pages (Black) and 2,300 pages (Colour), experience less frequent toner replacements with the optional high capacity toner cartridges.



#### CUSTOMISED APPLICATIONS LIBRARY

Ease your work process with the in-built Application Library. With Name and Scan, users can send scanned documents to pre-defined destinations and easily retrieve files saved according to specified username.



#### EFFICIENT PAPER HANDLING

The MF641Cw and MF643Cdw comes with a cassette tray capacity of 250 sheets to facilitate efficient paper handling.



## EFFORTLESS MAINTENANCE



### ALL-IN-ONE, EASY UPKEEP

With the combination of a photosensitive drum, cleaning unit and toner reservoir, Canon's All-in-One toner cartridge gets printing tasks done effortlessly, with minimal maintenance. The auto toner seal removal system eliminates the need to remove the seal manually, adding convenience when replacing the cartridge.

## ECO-SAVINGS



### REDUCE POWER USAGE

Activating sleep mode reduces electricity consumption to less than 1W, delivering greater savings and a smaller carbon footprint.



## SPECIFICATIONS

		MF641Cw	MF643Cdw
<b>PRINT</b>			
Printing Method		Colour Laser Beam Printing	
Print Speed	A4	18 / 18 ppm (Mono/Colour)	21 / 21 ppm (Mono/Colour)
	Letter	18 / 18 ppm (Mono/Colour)	22 / 22 ppm (Mono/Colour)
	2-sided	N/A	12 / 12 ppm (Mono/Colour)
Print Resolution		600 x 600 dpi	
Print Quality with Image Refinement Technology		1,200 x 1,200 dpi (equivalent)	
Warm up Time (From Power On)		13.0 sec or less	
First Printout Time (FPOT)	A4	Approx. 10.4 / 10.5 sec (Mono/Colour)	
	Letter	Approx. 10.3 / 10.3 sec (Mono/Colour)	
Recovery Time (From Sleep Mode)		Approx. 6.1 sec	
Print Language		UFR II	UFR II, PCL 6
Auto Duplex Print		N/A	Standard
Available Paper Size for Auto Duplex Print		N/A	A4, B5, Letter, Legal, Executive, Foolscap, Indian Legal
Supported File Format for USB Direct Print		Supported File Format: JPEG, TIFF, PDF	
Print Margins		5 mm - top, bottom, left and right (Envelope: 10 mm)	
Print Features		Poster, Booklet, Watermark, Page Composer, Toner Saver	
<b>COPY</b>			
Copy Speed	A4	18 / 18 ppm (Mono/Colour)	21 / 21 ppm (Mono/Colour)
	Letter	18 / 18 ppm (Mono/Colour)	22 / 22 ppm (Mono/Colour)
Copy Resolution		600 x 600 dpi	
First Copy Time (FCOT)	A4	Approx. 11.4 / 13.4 sec (Mono/Colour)	
	Letter	Approx. 11.2 / 13.1 sec (Mono/Colour)	
Maximum Number of Copies		Up to 999 copies	
Reduce/Enlargement		25 - 400% in 1% increments	
Copy Features		Frame Erase, Collate, 2 on 1, 4 on 1, ID Card Copy, Passport Copy	
<b>SEND</b>			
Sending Method		SMB, E-mail, FTP	
Color Mode		Full Colour, Grayscale, Monochrome	
Scan Resolution		300 x 600dpi	
File Format		JPEG, TIFF, PDF; Compact PDF; PDF (OCR)	
<b>SCAN</b>			
Scan Type		Colour Contact Image Sensor	
Scan Resolution	Optical	Platen glass: up to 600 x 600dpi	Platen glass: up to 600 x 600dpi   Feeder: up to 300 x 300dpi
	Driver Enhanced	Up to 9,600 x 9,600 dpi	
Maximum Scan Size	Platen glass	Up to 216.0 x 297mm	
	Feeder	N/A	Up to 216.0 x 355.6mm
Color Depth		24-bit	
Pull Scan		Yes, USB and Network	
Push Scan (Scan To PC) with MF Scan Utility		Yes, USB and Network	
Scan to USB (via USB Host 2.0)		Yes	

# SPECIFICATIONS

		MF641Cw	MF643Cdw
Scan Driver Compatibility		TWIN, WIA	
Scan Speed <sup>(*)</sup>		N/A	1-Sided: 26.1 ipm (mono), 13.3 ipm (colour)
Scan to Cloud		Yes, via MF Scan Utility	
<b>PAPER HANDLING</b>			
Auto Document Feeder (ADF)		N/A	50 sheets (80 g/m <sup>2</sup> )
Available Paper Size for ADF		N/A	A4, B5, A5, Letter, Legal, Statement, Custom Size (Min. 128 x 139.7mm to Max. 216.0 x 355.6mm)
Paper Input (Based on 80g/m <sup>2</sup> )	Standard Cassette	250 sheets	
	Multi-Purpose Tray	1 sheet	
Maximum Paper Input Capacity		251 sheets	
Paper Output		100 sheets	
Paper Size	Cassette	A4, B5, A5, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Custom (Min. 76.2 x 127.0mm to Max. 216.0 x 355.6mm)	
	Multi-Purpose Tray	A4, B5, A5, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Index Card, Envelope: COM10, Monarch, C5, DL, Custom (Min. 76.2 x 127.0mm to Max. 216.0 x 355.6mm)	
Paper Types		Plain, Thick, Coated, Recycled, Colour, Label, Postcard, Envelope	
Paper Weight	ADF	N/A	50 to 105g/m <sup>2</sup>
	Cassette	60 to 200g/m <sup>2</sup>	
	Multi-Purpose Tray	60 to 200g/m <sup>2</sup>	
<b>CONNECTIVITY &amp; SOFTWARE</b>			
Standard Interface	Wired	USB 2.0 High Speed, 10Base-T/100Base-TX/1000Base-T	
	Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS easy Setup, Direct Connection)	
Network Protocol	Print	LPD, RAW, WSD-Print (IPv4, IPv6)	
	Scan	Email, SMB, WSD-Scan (IPv4, IPv6), FTP	
	TCP/IP Application Services	Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6)	
Network Security	Management	SNMPv1, SNMPv3 (IPv4, IPv6)	
	Wired	IP/Mac address filtering, HTTPS, SNMPv3, IEEE802.1x, IPSEC	
	Wireless	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)	
One-Push Wireless Configuration		Wi-Fi Protected Setup (WPS)	
Other Features		Department ID, Secure Print, Application Library	
Mobile Solution		Canon PRINT Business, Canon Print Service, Google Cloud Print™, Apple® AirPrint®, Mopria® Print Service	
Address Book		LDAP	
Compatible Operating Systems <sup>(**)</sup>		Windows® 10, Windows® 8.1, Windows® 7, Windows Server® 2016, Windows Server® 2012 R2, Windows Server® 2012, Windows Server® 2008 R2, Windows Server® 2008, Mac® OS X 10.9.5 & up <sup>(**)</sup> , Linux <sup>(**)</sup>	
Software Included		Printer driver, Scanner driver, MF Scan Utility, Toner Status	
<b>GENERAL</b>			
Device Memory		1 GB	
LCD Display		WVGA Colour LCD 5.0" Touch Screen Display	
Dimensions (W x D x H)		451 x 460 x 360 mm	451 x 460 x 413 mm
Weight		16.8 kg	20.5 kg
Power Consumption (Maximum)		850 W or less	
Power Consumption (Average; During Operation)		Approx. 370 W	
Power Consumption (Average; During Standby)		Approx. 11 W	
Power Consumption (Average; During Sleep)		Approx. 0.8W (USB/ LAN / Wi-Fi)	
Noise Levels <sup>(**)</sup>	During Operation	Sound Pressure Level: 49 dB, Sound Power Level: 68.7 dB	Sound Pressure Level: 51 dB, Sound Power Level: 69.4 dB
	During Standby	Sound Pressure Level: Inaudible, Sound Power Level: 43 dB	
Operating Environment	Temperature	10 - 30°C	
	Humidity	20% - 80% RH (no condensation)	
Power Requirements		AC 220 - 240 V(+/- 10%), 50/60 Hz(+/- 2 Hz)	
Toner Cartridge <sup>(**)</sup>	Standard	Cartridge 054 BK: 1,500 pages (bundled: 1,500 pages), Cartridge 054 C/M/Y: 1,200 pages (bundled: 680 pages)	
	High	Cartridge 054H BK: 3,100 pages, Cartridge 054H C/M/Y: 2,300 pages	
Monthly Duty Cycle <sup>(**)</sup>		30,000 pages	

\*1 Speed of scanning via the document feeder, A4 size, scan resolution 300 x 300 dpi

\*2 Based on ITU-T #1 Chart (standard mode).

\*3 ScanGear is not available for Windows Server 2003/2008/2012.

\*4 The latest drivers for Mac OS and Linux can be downloaded from the <https://asia.canon> website when available. Only the print function is supported for Linux.

\*5 Tested in accordance to ISO 7779 and declared per ISO 9296.

\*6 Toner cartridge yield is in accordance with ISO/IEC 19798.

\*7 Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon multi-function laser devices, and does not refer to actual maximum image output per month.

# Canon

Delighting You Always

**South & Southeast Asia  
Regional Headquarters**

**Canon Singapore Pte. Ltd.**

1 Fusionopolis Place,  
#15-10, Galaxis,  
Singapore 138522

Tel: 65-6799 8888

Fax: 65-6799 8882

<https://asia.canon>

## CANON OFFICES

**HONG KONG**  
Canon Hongkong Co., Ltd.  
Tel: 852-3191 2388  
Fax: 852-2369 3800  
<https://hk.canon>

**INDIA**  
Canon India Pvt Ltd.  
Tel: 91-124 416 0000  
Fax: 91-124 416 0011  
<https://in.canon>

**MALAYSIA**  
Canon Marketing (Malaysia)  
Sdn. Bhd.  
Tel: 60-3 7844 6000  
Fax: 60-3 7845 0505  
<https://my.canon>

**PHILIPPINES**  
Canon Marketing (Philippines), Inc.  
Tel: 632-884 9090  
Fax: 632-556 1456  
<https://ph.canon>

**SINGAPORE**  
Canon Singapore Pte. Ltd.  
Tel: 65-6799 8888  
Fax: 65-6799 8882  
<https://sg.canon>

**THAILAND**  
Canon Marketing (Thailand) Co. Ltd.  
Tel: 66-2 344 9999  
Fax: 66-2 344 9960  
<https://th.canon>

**VIETNAM**  
Canon Marketing Vietnam Co. Ltd.  
Tel: 84-8 3820 0466  
Fax: 84-8 3820 0477  
<https://vn.canon>

## CANON BUSINESS PARTNERS

**AFGHANISTAN**  
Megaplus Afghanistan Ltd.  
Tel: 93 700 228 832 / 700 979 511  
Fax: 93 20 220 1259  
Email: [info@megaplus.com.af](mailto:info@megaplus.com.af)

**BANGLADESH**  
J.A.N Associates Ltd.  
Tel: 880-2-966-0601  
Fax: 880-2-861-0410  
[www.jan-bd.com](http://www.jan-bd.com)

**BRUNEI**  
Interhouse Company  
Tel: 673-2-653001  
Fax: 673-2-653003  
[www.ihc.com.bn](http://www.ihc.com.bn)

**CAMBODIA**  
i-Click Marketing Co., Ltd.  
Tel: 855-23-996638  
Fax: 855-23-996639  
[www.i-click.com](http://www.i-click.com)

**Royal Cambodia Co. Ltd.**  
Tel: 855-23-428955  
Fax: 855-23-722961  
[www.royalCambodia.com.kh](http://www.royalCambodia.com.kh)

**INDONESIA**  
P.T. Samafiro  
Tel: 62-21 2949 5500  
Fax: 62-21 345 6699  
[www.samafiro.co.id](http://www.samafiro.co.id)

**MALDIVES**  
SIMDI Company (Pvt) Ltd.  
Tel: 960 - 3334421  
Fax: 960 - 3334424  
[www.simdi.com](http://www.simdi.com)

**MONGOLIA**  
ITzone LLC  
Tel: 976-11-323705  
Fax: 976-11-312699  
[www.itzone.mn/en](http://www.itzone.mn/en)

**MYANMAR**  
Myanmar Golden Rock  
International Co., Ltd.  
Tel: 95-1 654810 to 19 (10 Lines)  
Fax: 95-1 654820  
Email: [sales@mgr.com.mm](mailto:sales@mgr.com.mm)

**NEPAL**  
International Electronics Concern (P) Ltd.  
Tel: 977-1 4421991  
Fax: 977-1 4421909  
[www.iec.com.np](http://www.iec.com.np)

**PAKISTAN**  
Shirazi Trading Company (Pvt.) Limited  
Tel: (92-21)38704830-41, 35170851-54  
Fax: (92-21)-35170860  
Email: [stc@stc.atlas.pk](mailto:stc@stc.atlas.pk)  
[www.stc.atlas.pk](http://www.stc.atlas.pk)

**Megaplus Pakistan**  
Tel: 111 00 33 55  
Fax: +92 51 222 8430  
[www.megaplus.com.pk](http://www.megaplus.com.pk)

**SRI LANKA**  
Metropolitan Office (Pvt) Ltd.  
Tel: 94-11 470 0200  
Fax: 94-11 470 0267  
[www.metropolitan.lk](http://www.metropolitan.lk)

Dealer's Stamp

0217W184 © 2019 Canon Singapore Pte. Ltd. All rights reserved.

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document. Canon, imageCLASS, Business Can Be Simple and Canon PRINT Business App are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks for their respective owners.