

TravelMate P216-	TravelMate P216-51 Specifications (v5-0-5)				
Category	Description	Footnot			
Operating 1	Windows 11 Pro (Acer recommends Windows 11 Pro for business.)				
system	Windows 11 Home				
CPU and chipset 1	Intel [®] Core [™] i7-1365U processor (12 MB Smart Cache, 1.8 GHz				
	Performance-core with Intel® Turbo Boost Technology 2.0 up to 5.2				
	GHz, Intel [®] vPro [™] Eligibility), supporting hybrid core architecture with				
	Performance-core and Efficient-core				
	Intel [®] Core [™] i7-1355U processor (12 MB Smart Cache, 1.7 GHz				
	Performance-core with Intel® Turbo Boost Technology 2.0 up to 5.0 GHz),				
	supporting hybrid core architecture with Performance-core and Efficient-				
	core				
	Intel [®] Core [™] i5-1345U processor (12 MB Smart Cache, 1.6 GHz				
	Performance-core with Intel® Turbo Boost Technology 2.0 up to 4.7				
	GHz, Intel [®] vPro [™] Eligibility), supporting hybrid core architecture with				
	Performance-core and Efficient-core				
	Intel [®] Core [™] i5-1335U processor (12 MB Smart Cache, 1.3 GHz				
	Performance-core with Intel® Turbo Boost Technology 2.0 up to 4.6 GHz),				
	supporting hybrid core architecture with Performance-core and Efficient-				
	core				
	Intel [®] Core [™] i3-1315U processor (10 MB Smart Cache, 1.2 GHz				
	Performance-core with Intel® Turbo Boost Technology 2.0 up to 4.5 GHz),				
	supporting hybrid core architecture with Performance-core and Efficient-				
	core				
Memory 1, 2,		3, 4			
	Up to 16 GB of DDR4 system memory, upgradable to 32 GB using				
	two soDIMM modules				
Diamless	Memory Frequency: Up to 3200 MT/s	ļ			
Display	16.0" display with IPS (In-Plane Switching) technology, WUXGA 1920 x	5			
	1200, Acer ComfyView LED-backlit TFT LCD				
	16:10 aspect ratio, color gamut NTSC 45%				
	Wide viewing angle up to 170 degrees Mercury free, environment friendly				
Graphics	Intel [®] Iris [®] X ^e Graphics eligible	6			
	Graphics Special Technology#				
	• AVC/H.264, HEVC/H.265, VP8, VP9, AV1, MPEG-2, JPEG HW				
	Accelerated Video Decode				
	AVC/H.264, HEVC/H.265, VP9, MPEG-2, JPEG HW Accelerated				
	Video Encode				

TravelMate P216-51 Specifications (v5-0-5)			
	OpenGL ES 3.2WebGL & HTML5Vulkan		
	Intel [®] UHD Graphics	6	
	Graphics Special Technology#		
	AVC/H.264, HEVC/H.265, VP8, VP9, AV1, MPEG-2, JPEG HW		
	Accelerated Video Decode		
	AVC/H.264, HEVC/H.265, VP9, MPEG-2, JPEG HW Accelerated		
	Video Encode		
	OpenGL ES 3.2		
	WebGL & HTML5		
	Vulkan		
Audio	DTS® Audio, featuring optimized bass response and micro-speaker		
	distortion prevention		
	Acer Purified. Voice technology with AI noise reduction in dual built-		
	in microphones. Features include far-field pickup, dynamic noise		
	reduction through neural network, adaptive beam forming, and pre-		
	defined personal and conference call modes.		
	Acer TrueHarmony technology for lower distortion, wider frequency		
	range, headphone-like audio and powerful sound		
Storage	Solid state drive		
	SSD slot: 2	1, 7	
	• 256 GB / 512 GB / 1 TB, PCIe Gen4, 16 Gb/s, NVMe	1, 7	
	Hard disk drive		
	Optional 2 nd HDD 1 TB, 2.5-inch 5400 RPM		
Webcam 1	Video conferencing		
	UFC with		
	T-Type USB FHD camera + IR camera		
	Compatible with Windows		
	• 1920 x 1080 resolution		
	1080p HD video at 60 fps with Temporal Noise Reduction		
	• Dual Mic (33 mm + 33 mm)		
	• 78 x 3.2 (5.2) x 3 mm		
	UFC with		
	T-Type HD camera		
	Compatible with Windows		
	• 1280 x 720 resolution		
	720p HD video at 30 fps with Temporal Noise Reduction		
	Blue Glass lens		
	Knowles Dual Mic (33 mm + 33 mm)		
	• 78 x 3.2 (5.2) x 3 mm		
Wireless and 1	WLAN		
networking	Intel® Wireless Wi-Fi 6E AX211		
	802.11 a/b/g/n/ac/ax wireless LAN		

TravelMate P216-51 Specifications (v5-0-5)				
	Band: 2.4 GHz, 5 GHz and 6 GHz			
	2x2 MU-MIMO technology			
	Support Bluetooth® 5.1 or above			
	Support vPro			
	Intel® Wireless Wi-Fi 6E AX211			
	802.11 a/b/g/n/ac/ax wireless LAN			
	Band: 2.4 GHz, 5 GHz, and 6 GHz			
	2x2 MU-MIMO technology			
	Support Bluetooth® 5.1 or above			
	Support CNVi interface			
	wwan			
	• LTE FDD: B1/B2/B3/B4/B5/B7/B8/B12/B13/B14/B17/B18/B19/B20/			
	B25/B26/B28/B29/B30/B32/B66/B71			
	• LTE TDD: B34/B38/B39/B40/B41/B42/B43/B46/B48			
	WCDMA/HSPA+: B1/B2/B3/B4/B5/B6/B8/B19			
	Support up to LTE Cat.6			
	LTE Data Rate: Maximum download 300 Mbps, upload 50 Mbps			
	WCDMA Data Rate: Maximum download 384 kbps, upload 385 kbps			
	DC-HSPA+: Maximum download 42 Mbps			
	eSIM is included			
	LAN			
	Gigabit Ethernet			
Security	Acer ProShield Plus security manager includes:			
	Data Protection: File & Folder Encryption and Decryption, Personal			
	Security Drive			
	Data Removal: File Shredding			
	Security Alert: Invalid Access Alert, Security Report			
	Acer Bio-Protection fingerprint solution, featuring computer protection and			
	Windows Hello Certification			
	Discrete Trusted Platform Module (TPM) solution			
	BIOS user, supervisor, HDD passwords			
	Kensington lock slot			
Dimensions and 1, 8, 9				
weight	• 358.5 (W) x 260 (D) x 19.9/22.9 (H) mm (14.11 x 10.24 x 0.78/0.9			
	inches) with Plastic A Cover			
	Weight			
	1.87 kg (4.12 lbs.) with 3-cell battery pack, one SSD			
Power adapter 1	Battery			
and battery	• 65 Wh 4-cell Li-ion battery			
	Supports Fast Charging technology			
	(for models with Full HD Panel + SSD)			
	• 65 Wh 3-cell Li-ion battery			
	Supports Fast Charging technology			
	(for models with Full HD Panel + SSD)			

TravelMate P216-51 Specifications (v5-0-5) • 50 Wh 3-cell Li-ion battery (for models with Full HD Panel + SSD) Power adapter USB Type-C 65 W PD AC adapter: • 108 (W) x 46 (D) x 29.5 (H) mm (4.25 x 1.81 x 1.16 inches) • 5 V / 3 A or 9 V / 3 A or 12 V / 3 A or 15 V / 3 A or 20 V / 3.25 A as output power • 250 g with 150 cm DC cable 3-pin 65 W AC adapter • 107.0 (W) x 47.0 (D) x 30.0 (H) mm (4.21 (W) x 1.85 (D) x 1.18 (H) inches) 243 g with 180 cm DC cable Input and control **Kevboard** 99-/100-/103-key Acer keyboard layout with international language support including indicators of CapsLock and F4/Microphone mute 99-/100-/103-key Acer backlit keyboard with international language support, with indicators of CapsLock and F4/Microphone mute TouchPad Multi-gesture touchpad, supporting two-finger scroll; pinch; gestures to open Cortana, Action Center, multitasking; application commands • Microsoft Precision Touchpad certification Moisture resistant OceanGlass[™] Touchpad Multi-gesture secure touchpad, supporting two-finger scroll; pinch; gestures to open Cortana, Action Center, multitasking; Fingerprint application commands

- Windows Hello Certification
- Microsoft Precision Touchpad certification

(Notes: Spill Resistant Keyboard based on MIL-STD-810H Method 506.6 Procedure III Drip test)

Input and output

USB Type-C

USB Type-C[™] port supporting:

- USB4® 40Gbps
- Thunderbolt[™] 4
- USB charging 5 V; 3 A
- DC-in port 19 V: 65 W

USB Standard A

Two USB Standard-A ports, supporting:

- One port for USB 3.2 Gen 1
- One port for USB 3.2 Gen 1 featuring power off USB charging

Nano SIM slot (optional)

HDMI[®] 2.0 port with HDCP support

DC-in jack for AC adapter

microSD[™] Card reader

TravelMate P216-51 Specifications (v5-0-5)		
	SmartCard reader slot	
	Ethernet (RJ-45) port	
Windows 11	In-House	
Desktop Apps	Acer Control Center	
	Acer Product Registration	
	Quick Access	
Options and	Accessory	
accessories	SIM Card Tray Ejector Pin	
System	ENERGY STAR®	
compliance	Wi-Fi [®]	
	EPEAT [®] Gold	
Warranty	One-year International Travelers Warranty (ITW)	
Quality and	Temperature and humidity	
reliability tests	Hinge life	
	Weight and pressure	
	Acoustics	
	Spillage	
	Free drop	
	Shock and vibration	
	Electrostatic discharge immunity	
	Keyboard-switch life	
	MTBF (mean time between failures)	
	Military Reliability Test: Mechanical Shock (Packaged), Transit Drop 122	
	cm (MIL-STD 810H)	
	Military Reliability Test: Mechanical Shock (Unpackaged), Transit Drop	
	122 cm (MIL-STD 810H)	
	Military Reliability Test: Vibration (MIL-STD 810H)	
	Military Reliability Test: Sand and Dust (MIL-STD 810F)	
	Military Reliability Test: Humidity (MIL-STD 810H)	
	Military Reliability Test: Rain (MIL-STD 810H)	
	Military Reliability Test: Low Temperature (MIL-STD 810H)	
	Military Reliability Test: High Temperature (MIL-STD 810H)	
Others	Reset hole	
	Power LED indicator	

- 1. Specifications vary depending on model.
- 2. Shared system memory may be allocated to support graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by any memory used by the graphics solution and resources required by the operating environment.
- 3. Memory speed may vary, depending on the CPU, chipset or memory fitted.
- 4. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
- 5. All brands and product names mentioned herein include trademarks of their respective companies and are used solely to describe or identify the products.
- 6. Not all features indicated are supported on all SKUs

TravelMate P216-51 Specifications (v5-0-5)

- 7. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
- 8. Minor variations in system dimensions are possible due to the manufacturing process.
- 9. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.
- 10. Actual battery life may vary considerably by specifications, depending on product model, configuration, applications, power management settings, operating conditions, and features utilized. Performance variation also arises based on components in use, which includes but is not limited to the processor, RAM capacity, storage, display and resolution, etc.
- 11. Bundled software may vary depending on hardware configuration, OS and regional availability.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2023. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Intel Evo, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

About Acer

Founded in 1976, Acer is one of the world's top ICT companies with a presence in more than 160 countries. As Acer evolves with the industry and changing lifestyles, it is focused on enabling a world where hardware, software and services will fuse with one another, creating ecosystems and opening up new possibilities for consumers and businesses alike. Acer's 7,500 employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit www.acer.com for more information.



TravelMate P216-51 Specifications (v5-0-5)



















Appendix

v5-0-5 (Ver. 2)

About

Wireless and networking

Software

Input and control

Quality and reliability tests

Graphics

Dimensions and weight